

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

▲ PEEL HERE ▲

BlightBAN®

FUNGICIDE

ACTIVE CONSTITUENT: 605g/L PROPAMOCARB present as Monohydrochloride

GROUP 28 FUNGICIDE

For the control of Damping off on ornamentals and turf caused by *Pythium* spp.

IMPORTANT:
READ THIS LEAFLET BEFORE OPENING OR USING

NOVAGREEN

Distributed by: Australian Agribusiness (Holdings) Pty Ltd
ABN: 61 135 355 958
Suite 201, 3 Rider Boulevard, Rhodes NSW 2138
PH: 1800 631 008 www.aus-ag.com.au



CONTENTS

5 L

DIRECTIONS FOR USE**Refer to the list of Plant Species for species on which this product may be used.**

SITUATION	RATE	CRITICAL COMMENTS
ORNAMENTAL* SEEDLINGS Seed Sowing	1.5mL in 1L of water	Apply 2 litres/square metre by watering can immediately after sowing.
Pricking Off - Seedlings	15mL in 10L of water	Apply 2 litres/square metre by watering can into boxes & pots and leave until soil mixture surface is dry enough to prick-off.
Treatment of Cuttings		Dip cuttings in diluted mixture prior to planting. Apply 2 litres of diluted mixture per square metre of soil immediately after setting of cuttings and at intervals of 3 weeks thereafter. A total of 3 to 4 applications should be sufficient during the growing season.
Pot Plants		Dip young plants prior to potting out. Apply 100mL of diluted mixture per 100-110mm pots, 150mL per 120-130mm pot and repeat at intervals of 3 weeks thereafter. A total of 3 to 4 applications should be sufficient during the growing season.
Bulk soil treatment preventative	250-300mL in 10-20 litres of water per cubic metre of soil.	Apply to bulk soil for use with pot plants.
Recreational turf	45-65mL/100m ²	Apply in sufficient water to obtain coverage. Use the lower rate as a preventative treatment. Use the higher rate as a curative or as a preventative treatment during times of high infection pressure. Repeat at 3-4 week intervals.
NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS, LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.		

ORNAMENTALS - List of Plant Species

Adiantum (pot plants),	<i>Primula</i> spp.,	<i>Pachystachys</i> spp.,
<i>Aechmea</i> spp.,	Ranunculus (anemone),	<i>Peperomia</i> spp.,
<i>Aeschynanthus</i> spp.,	Rosa (seed sowing),	Petunia (seed sowing),
Ageratum (seed sowing),	Saintpaulia,	Phalaenopsis,
Alyssum,	Scindapsus or Rhipidophora,	<i>Philodendron</i> spp.,
Anemone (see Ranunculus),	Senecio cruentus,	Phlox,
<i>Anthurium</i> spp.,	Solanum capsicastrum,	<i>Pilea</i> spp.,
Antirrhinum (snapdragon),	Streptocarpus,	Polypodium (pot plants),
Aphelandra dania (pot plants),	Strobilanthes,	Polyscias (lace aralia),
Asparagus,	Erica gracilis,	Syngonium,
Aster (see Callistephus),	<i>Eucalyptus</i> spp.,	Tagetes (seed sowing),
Azalea,	Euphorbia pulcherrima,	<i>Tristania</i> spp.,
<i>Banksia</i> spp.,	Fatsihedera Lizei,	Tulipa (tulip),
<i>Begonia</i> spp. (also seed sowing),	Fatsia japonica,	Verbena,
<i>Boronia</i> spp.,	<i>Ficus</i> spp.,	Viola tricolour (pansy)
Bromeliads,	Fittonia verschaffeltii,	(also seed sowing),
Brunfelsia calysina,	Fuschia,	Vriesea splendens,
Calceolaria (also seed sowing),	Gerbera jamesonii,	Zinnia (seed sowing).
Calendula,	Gloxinia,	
Callistemon,	<i>Grevillea</i> spp.,	
Callistephus (summer aster)	Gynura,	
(seed sowing),	Hedera helix (ivy),	
Carnation,	Helichrysum (immortelle),	
Chlorophytum,	Impatiens,	
Chrysanthemum indicum	Iris,	
(also cuttings),	Kalanchoe,	
Chrysanthemum segetum	Leptospermum,	
(seed sowing),	Lillium,	
Cineraria (see Senecio),	Lobelia (seed sowing),	
Clerodendron,	Maranta,	
Clematis,	Matthiola (stock) (seed sowing),	
Codiaeum variegatum,	<i>Melaleuca</i> spp.,	
Coleus,	Mesembryanthemum,	
Cyclamen,	Mikania applifolia,	
Delpinium,	Monstera deliciosa,	
Dianthus,	Nemesia,	
Dieffenbachia,	Orchids (all common species),	
<i>Dracaena</i> spp.,	Oxalis hedsycharoides rubra,	

GENERAL INSTRUCTIONS

FUNGICIDE RESISTANCE WARNING

GROUP **28** FUNGICIDE

BlightBAN® Fungicide is a member of the carbamate group of fungicides. For fungicide resistance management BlightBAN® Fungicide and other Group 28 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by BlightBAN® Fungicide and other Group 28 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Australian Agribusiness accepts no liability for any losses that may result from the failure of BlightBAN® Fungicide to control resistant fungi.

MIXING:

This product is completely soluble in water. Simply add the concentrate to the water and stir thoroughly when mixing. The mixture is stable and can be used the following day.

APPLICATION EQUIPMENT:

The product can be applied using a watering can or injection equipment (eg Gewa), or any conventional high volume ground spraying equipment calibrated to low pressure pump output. Spray nozzles should be capable of putting out a coarse high volume spray at low pressures, 50-100kPa.

COMPATIBILITY:

The product is compatible with most insecticides and fungicides. It is NOT compatible with foliar nutrients.

PROTECTION OF CROP, NATIVE AND OTHER NON TARGET PLANTS :

BlightBAN® Fungicide is non-hazardous to a wide range of turf, vegetables, ornamental flowers, indoor plants and shrubs. Care should be taken however with repeated short interval use if used at rates exceeding those on the label, as slight necrotic tipping of the cotyledons or advanced leaves may occur.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT:

DO NOT contaminate dunes, waterways or drains with product or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable

vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

This product is corrosive to metals and spray residues should be washed out of the spray vat and the spray system with clean water immediately after use.

SAFETY DIRECTIONS:

Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening and preparing spray/dip, wear elbow length PVC gloves. Wash hands after use. After each day's use, wash gloves.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET:

Additional information is listed in the Safety Data Sheet (SDS) which can be obtained from the supplier.

CONDITIONS OF SALE:

Australian Agribusiness (Holdings) Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Australian Agribusiness' skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Australian Agribusiness has any authority to add to or alter these conditions.

BlightBAN® is a registered trademark of UPL Group of Companies

Additional information required under the Globally Harmonised System (GHS) classification of the substance/mixture: May cause an allergic skin reaction. Avoid breathing spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. IF ON SKIN: wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment: (see Safety Directions and First Aid on this label). Wash contaminated clothing before reuse.

NOVAGREEN

Australian Agribusiness (Holdings) Pty Ltd
ABN: 61 135 355 958
Suite 201, 3 Rider Boulevard, Rhodes NSW 2138
Ph: 1800 631 008 www.aus-ag.com.au
APVMA Approval No.: 68632/58741

BlightBAN®

FUNGICIDE

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product. This product is corrosive to metals and spray residues should be washed out of the spray vat and the spray system with clean water immediately after use.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening and preparing spray/dip, wear elbow length PVC gloves. Wash hands after use. After each day's use, wash gloves.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

IN A TRANSPORT EMERGENCY DIAL 000

- POLICE OR FIRE BRIGADE •

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet (SDS) which can be obtained from the supplier.

NOVAGREEN

Distributed by: Australian Agribusiness (Holdings) Pty Ltd
ABN: 61 135 355 958
Suite 201, 3 Rider Boulevard, Rhodes NSW 2138
PH: 1800 631 008 www.aus-ag.com.au

CONDITIONS OF SALE: Australian Agribusiness (Holdings) Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Australian Agribusiness' skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Australian Agribusiness has any authority to add to or alter these conditions.

BlightBAN® is a registered trademark of UPL Group of Companies

Additional information required under the Globally Harmonised System (GHS) classification of the substance/mixture: May cause an allergic skin reaction. Avoid breathing spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. IF ON SKIN: wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment: (see Safety Directions and First Aid on this label). Wash contaminated clothing before reuse.

Batch Number

Date of Manufacture

APVMA Approval No.: 68632/58741

